




# STAS tensioned cable system

# Table of contents: How do you want to apply the system?

## 1 Suspend on a horizontal cable

For horizontal hanging of alphabet letter tiles, drawings, posters, decorations, papers or other material.



Go to page 3

## 2 Suspend on a vertical cable

For vertically hanging STAS kliq frames, your own picture frames or other material.



Go to page 4

## 3 A4 paper in transparent frame

For presenting restaurant menus, employee pictures in the office, price lists in shop windows or homes in real estate.



Go to page 5

## 4 Shelves


For creating shelves to display products or decoration.



Go to page 6

## 5 A4 paper in LED frame

For presenting and illuminating restaurant menus, employee pictures in the office, price lists in shop windows or homes in real estate.



Go to page 7

## 6 Panels

For hanging panels of your choice (foam, dibond, chalk, wood, plastic). Available in 2 dimensions: up to 0.15 or 0.31 inches (4.5 or 8.5 mm) thick.



Go to page 8

## 7 Ceiling signs

For hanging signage or other ceiling signs.



Go to page 9

# 1: Suspend on a horizontal cable

For horizontal hanging of alphabet letter tiles, drawings, posters, decorations, papers or other material.

## How do you want to hang it and what do you need?

### 1 Choose your way of mounting

#### A: STAS qubic

For hard walls such as stone or concrete.



TCS1000 STAS qubic

#### B: STAS qubic pro

For soft walls such as plaster or sand-lime brick.



TCS1010 STAS qubic pro

### 2 Choose the number of products

To hang 1 tensioned cable you need:  
• 2 STAS qubics (pro)

#### A: STAS h-tense\*

TSBH150 STAS h-tense 150 cm  
TSBH300 STAS h-tense 300 cm  
TSBH450 STAS h-tense 450 cm



Note: the tensioned cable can sag with a heavy load.

\* STAS tensioned cables can be shortened with a wire cutter.

### 3 Choose hanging method

#### A: STAS metal clothespin

For hanging alphabet letter tiles, papers, drawings or other material.



MC10100 STAS metal clothespin  
(set of 20)

#### B: STAS magnets

For hanging papers, drawings or other light material.



MB10050  
STAS white magnets  
(set of 10)



MB10040  
STAS coloured magnets  
(set of 10)



## 2: Suspend on a vertical cable

For vertically hanging STAS kliq frames, your own picture frames or other material.



### How do you want to hang it and what do you need?

#### 1 Choose your way of mounting\*

##### A: STAS qubic

For hard walls such as stone or concrete.



TCS1000 STAS qubic

##### B: STAS qubic pro

For soft walls such as plaster or sand-lime brick.



TCS1010 STAS qubic pro

\* Can also be used with a STAS railsystem. Contact [sales@stas.nl](mailto:sales@stas.nl) for more information.

#### 2 Choose the number of products

##### To hang 1 tensioned cable you need:


- 2 STAS qubics (pro)

You can mount several tensioned cables next to each other in order to make a wall collage.

STAS tip: The best way to hang large frames perfectly straight is by using 2 tensioned cables.

##### A: STAS v-tense\*

- TSBV150 STAS v-tense 150 cm
- TSBV300 STAS v-tense 300 cm
- TSBV450 STAS v-tense 450 cm



\* STAS tensioned cables can be shortened with a wire cutter.

#### 3 Choose hanging method

##### A: STAS security hook

The STAS security hook can be attached both before and after mounting the STAS v-tense by means of a rotary wheel behind the hook.



HA30600 STAS security hook

##### B: STAS magnets

For hanging papers, drawings or other light material.



MB10050  
STAS white magnets  
(set of 10)



MB10040  
STAS coloured magnets  
(set of 10)

# 3: A4 paper in transparent frame

For presenting restaurant menus, employee pictures in the office, price lists in shop windows or homes in real estate.

## How do you want to hang it and what do you need?

### 1 Choose your way of mounting\*

#### A: STAS qubic

For hard walls such as stone or concrete.



TCS1000 STAS qubic

#### B: STAS qubic pro

For soft walls such as plaster or sand-lime brick.



TCS1010 STAS qubic pro

\* Can also be used with a STAS railsystem. Contact sales@stas.nl for more information.

### 2 Choose a horizontal or vertical display

#### A: STAS h-tense

For a horizontal display.



#### B: STAS v-tense

For a vertical display.



### 3 Choose the number of products

#### A: Single row with frame(s)

For a single row of frames you need:

- 2 tensioned cables
- 4 STAS qubics (pro)
- the desired number of STAS tense frames

For 1 STAS tense frame you need:

- 1x set of 4 STAS frame clamps (0.15 inches/4.5 mm)



TCS30010  
STAS tense-frame  
(A4)

#### B: Multiple rows with frame(s)

For multiple rows of frames you need:

- a minimum of 3 tensioned cables
- a minimum of 6 STAS qubics (pro)
- a minimum of 2 STAS tense frames
- a minimum of 2 STAS frame connectors (0.15 inches/4.5 mm)

To connect 2 STAS tense frames you need:

- 1x set of 4 STAS frame clamps (0.15 inches/4.5 mm)
- 2 STAS frame connectors (0.15 inches/4.5 mm)

Connect the frames together with the STAS frame connector (0.15 inches/4.5 mm) instead of the STAS frame clamp.



TCS30001  
STAS frame clamp  
(0.15" / 4,5 mm)  
(set of 4)



TCS30002  
STAS frame connector  
(0.15" / 4,5 mm)  
(set of 4)

The STAS frame clamps (0.15 inches/4.5 mm) are adjustable in thickness.

### 4 Choose the number and lengths of the cables

Choose the lengths for multiple tensioned cables.

#### A: STAS h-tense\*

TSBH150 STAS h-tense 150 cm  
TSBH300 STAS h-tense 300 cm  
TSBH450 STAS h-tense 450 cm

#### B: STAS v-tense\*

TSBV150 STAS v-tense 150 cm  
TSBV300 STAS v-tense 300 cm  
TSBV450 STAS v-tense 450 cm

\* STAS tensioned cables can be shortened with a wire cutter.

# 4: Shelves

For creating shelves to display products or decoration.

## How do you want to hang it and what do you need?

### 1 Choose your way of mounting\*

#### A: STAS qubic

For hard ceiling such as concrete.



TCS1000 STAS qubic

#### B: STAS qubic pro

For soft ceilings such as plaster.



TCS1010 STAS qubic pro

\* Can also be used with a STAS railsystem. Contact sales@stas.nl for more information.

### 2 Choose the number of products

#### A: Single row of shelves

##### For a single row of shelves you need:

- 4 STAS steel cables with glider
- 4 STAS qubics (pro) for ceiling mounting
- the desired number of STAS shelves

##### For 1 STAS shelf you need:

- 1x set of 4 STAS shelf clamps (0.31 inches/8.5 mm)



#### B: Multiple rows of shelves

##### For multiple rows of shelves you need:

- a minimum of 6 STAS steel cables with glider
- a minimum of 6 STAS qubics (pro)
- a minimum of 2 STAS shelves

##### To connect 2 STAS shelves you need:

- 1x set of 4 STAS shelf clamps (0.31 inches/8.5 mm)
- 2 STAS shelf connectors (0.31 inches/8.5 mm)

Connect the STAS shelves with the STAS shelf connector (0.31 inches/8.5 mm) instead of the STAS shelf clamp.



TCS30005  
STAS shelf clamp  
(0.31" / 8,5 mm)  
(set of 4)



TCS30006  
STAS shelf connector  
(0.31" / 8,5 mm)  
(set of 4)



TCS30025  
STAS shelf  
7.87" x 11.8" / 20 x 30 cm  
(other dimensions available upon request)

The STAS shelf clamps (0.15 inches/4.5 mm) are adjustable in thickness.

### 3 Choose the number and lengths of the cables

Choose the lengths for multiple steel cables.

#### A: STAS steel cable with glider\*

SH10110	100 cm
SH10115	150 cm
SH10120	200 cm
SH10125	250 cm
SH10130	300 cm
SH10145	450 cm



\* STAS tensioned cables can be shortened with a wire cutter.

# 5: A4 paper in LED frame

For presenting and illuminating restaurant menus, employee pictures in the office, price lists in shop windows or homes in real estate.

## How do you want to hang it and what do you need?

### 1 Choose your way of mounting

#### A: STAS qubic

For hard walls such as stone or concrete.



TCS1000 STAS qubic

#### B: STAS qubic pro

For soft walls such as plaster or sand-lime brick.




TCS1010 STAS qubic pro

### 2 Choose a horizontal or vertical display


#### A: STAS h-tense

For a horizontal display.



#### B: STAS v-tense

For a vertical display.



### 3 Choose the number of products

#### A: Single row with tense LED frame(s)

For a single row of tense LED frames you need:

- 2 tensioned cables
- 4 STAS qubics (pro)
- 1 STAS tense 12V power (60W) adapter
- the desired number of STAS tense LED frames

The clamps are already attached to the tense LED frames. A maximum of 12 tense LED frames can be connected to 1 adapter.



TCS30015  
STAS tense led-frame

#### B: Multiple rows with tense LED frame(s)

For several rows of LED frames you need:

- a minimum of 4 tensioned cables
- a minimum of 8 STAS qubics (pro)
- a minimum of 2 STAS tense led-frames
- a minimum of 2 STAS tense 12V power (60W) adapter

The clamps are already attached to the tense LED frames. One adapter is required for each row. A maximum of 12 tense LED frames can be connected to 1 adapter.



VT30600  
STAS tense 12V power (60W)

### 4 Choose the number and lengths of the cables

Choose the lengths for multiple tensioned cables.

#### A: STAS h-tense\*

TSBH150 STAS h-tense 150 cm  
TSBH300 STAS h-tense 300 cm  
TSBH450 STAS h-tense 450 cm

#### B: STAS v-tense\*

TSBV150 STAS v-tense 150 cm  
TSBV300 STAS v-tense 300 cm  
TSBV450 STAS v-tense 450 cm

\* STAS tensioned cables can be shortened with a wire cutter.

# 6: Panels

For hanging panels of your choice (foam, dibond, chalk, wood, plastic).  
Available in 2 dimensions: up to 0.15 or 0.31 inches (4.5 or 8.5 mm) thick.

## How do you want to hang it and what do you need?

### 1 Choose your way of mounting\*

**A: STAS qubic**

For hard walls such as stone or concrete.



TCS1000 STAS qubic

**B: STAS qubic pro**

For soft walls such as plaster or sand-lime brick.




TCS1010 STAS qubic pro

\* Can also be used with a STAS railsystem. Contact sales@stas.nl for more information.

### 2 Choose a horizontal or vertical display

**A: STAS h-tense**


For a horizontal display.



Note: the tensioned cable can sag with a heavy load.

**B: STAS v-tense**

For a vertical display.



### 3 Choose the number of products

**A: Single row with panel(s)**

**For a single row of panels you need:**

- 2 tensioned cables
- 4 STAS qubics (pro)
- the desired number of panels of your own choice (foam, dibond, chalk, wood, plastic)

**For 1 panel you need:**

- 1x set of 4 STAS frame clamps (0.15 or 0.31 inches /4.5 or 8.5 mm)



TCS30001  
STAS frame clamp  
(0.15"/4,5 mm)  
(set of 4)



TCS30002  
STAS frame connector  
(0.15"/4,5 mm)  
(set of 4)

**B: Multiple rows with panel(s)**

**For several rows of panels you need:**

- a minimum of 3 tensioned cables
- a minimum of 6 STAS qubics (pro)
- the desired number of panels of your own choice (foam, dibond, chalk, wood, plastic)

**To connect 2 panels you need:**

- 1x set of 4 STAS frame clamps (0.15 or 0.31 inches /4.5 or 8.5 mm)
- 2 STAS frame connectors (0.15 or 0.31 inches /4.5 or 8.5 mm)

Connect the panels together with the STAS frame connector (0.15 or 0.31 inches /4.5 or 8.5 mm) instead of the STAS frame clamp.



TCS30003  
STAS frame clamp  
(0.31"/8,5 mm)  
(set of 4)



TCS30004  
STAS frame connector  
(0.31"/8,5 mm)  
(set of 4)

Both STAS frame clamps (0.15 inches/4.5 mm) are adjustable in thickness.

### 4 Choose the number and lengths of the cables

Choose the lengths for multiple tensioned cables.

**A: STAS h-tense\***

TSBH150 STAS h-tense 150 cm  
TSBH300 STAS h-tense 300 cm  
TSBH450 STAS h-tense 450 cm

**B: STAS v-tense\***

TSBV150 STAS v-tense 150 cm  
TSBV300 STAS v-tense 300 cm  
TSBV450 STAS v-tense 450 cm

\* STAS tensioned cables can be shortened with a wire cutter.

### Extra option:

Use the STAS distance clamp instead of the STAS frame clamp. Due to the extended back, the STAS distance clamp ensures that the wall object hangs stable and with a same distance from the wall.

**For 1 panel you need:**

- 1x set of 4 STAS distance clamp (7 mm)

Caution: the frame should have drilling holes with a diameter of at least 1,5 mm.



TCS30009  
STAS distance clamp  
(7 mm)  
(set of 4)

# 7: Ceiling signs

For hanging signage or other ceiling signs.

## How do you want to hang it and what do you need?

### 1 Choose your way of mounting

#### A: STAS qubic

For hard ceiling such as concrete.



TCS1000 STAS qubic

#### B: STAS qubic pro

For soft ceilings such as plaster.



TCS1010 STAS qubic pro

#### C: STAS suspended ceiling hooks

Hook for suspended ceilings.



HA10200  
STAS suspended ceiling hook for loop

### 2 Choose the number of products

#### A: Mounting with STAS qubic (pro)

For 1 ceiling sign you need:

- 2 STAS qubics (pro)
- 2 STAS signage clamp
- 2 STAS steel cables with glider

The STAS signage clamp is adjustable, so that signs with a thickness of at least 0.08 inches (2 mm) and at most 0.27 inches (7 mm) can be clamped.




TCS30007  
STAS signage clamp  
(set of 4)

#### B: Mounting with STAS suspended ceiling hook

For 1 ceiling sign you need:

- 2 STAS suspended ceiling hooks for loop.
- 2 STAS signage clamps
- 2 STAS steel cables with loop

The STAS signage clamp is adjustable, so that signs with a thickness of at least 0.08 inches (2 mm) and at most 0.27 inches (7 mm) can be clamped.



### 3 Choose the number and lengths of the cables

Choose the lengths for multiple steel cables with glider or with loop.

#### A: STAS steel cable with glider for qubic (pro)\*

SH10110	100 cm
SH10115	150 cm
SH10120	200 cm
SH10125	250 cm
SH10130	300 cm
SH10145	450 cm



#### B: STAS steel cable with loop for STAS suspended ceiling hook\*

SL10110	100 cm
SL10115	150 cm
SL10120	200 cm
SL10125	250 cm
SL10130	300 cm



\* STAS tensioned cables can be shortened with a wire cutter.



**STAS**  
picture hanging systems

**STAS picture hanging systems**

Esp 245 | 5633 AD Eindhoven | PO Box 1049 | 5602 BA Eindhoven | The Netherlands

T +31 (0)40 292 48 48 | F +31 (0)40 292 48 49 | [info@stasgroup.com](mailto:info@stasgroup.com)

[www.stasgroup.com](http://www.stasgroup.com)